

BACK

Cut one time

Leave a seam allowance of $\frac{1}{2}$ inch

DOS

Couper une fois

Ajouter une marge de couture de 1cm

TRASERO


Cortar una vez

Agregar margen de costura de 1cm.



Oscar pattern

pillow cover 16x16 inches
House de coussin 40x40 cm
Funda para cojin 40x40 cm



Designed by Amaryllis Buffin
for private use only
www.ohohblog.com
amaohoh@gmail.com

On Fold

A2



TEMPLATE FOR THE FOLDING

Take the back of the front piece
Place the lines on top of the seams
Draw 4 dots on the fabric, one at the tip of each arrow.

Guide pour le pliage

Placer la piece de devant de dos, coutures apparentes
Placer les lignes sur les coutures
Dessiner 4 points sur le tissu, un à l'emplacement de chaque flèche

Guia para hacer el pliegue

Poner la pieza delantera de espalda, costuras expuestas
Poner las líneas sobre las costuras
Dibujar 4 puntos sobre la tela, uno a la punta de cada flecha.

A3

BACK

Cut one time

Leave a seam allowance of $\frac{1}{2}$ inch

DOS

Couper une fois

Ajouter une marge de couture de 1cm

TRASERO

Cortar una vez

Agregar margen de costura de 1cm.



Pattern assembly

Assemblage du patron
montaje del patron


A1	A2	A3
B1	B2	B3


1 inch

2cm

On Fold

B2





FRONT

Cut 4 times

Leave a seam allowance of $\frac{1}{2}$ inch

DEVANT

Couper 4 fois

Ajouter une marge de couture de 1cm

DELANTERO

Cortar 4 veces

Agregar margen de costura de 1cm



Sewing tutorial for the Oscar pillow cover




Thanks for purchasing the **Oscar pillow pattern**. You will find here under a detailed tutorial to help you sew your pillow cover. As the design is made with folding is very important to follow the measurement precisely and to iron the folds and seams as specify. If you have any doubt, want to ask a question or just say hello, you can email me at amaohoh@gmail.com

I would love to see how your pillow cover turns out, don't hesitate to use #ohohpattern to share your work and let us know! Have fun sewing!

Material:

- 4x ½ yards for the pillow cover front
- ½ fabric yard for the pillow back
- Matching thread
- A 18 inches zipper
- A needle
- Scissors
- A tailor chalk
- Pins
- Iron and ironing board
- Sewing machine

1. Print the pattern and tape the 6 sheets following the assembly template. Cut out the four shapes, two rectangles, one triangle and one circle.



2. Cut the fabric.

Place and pin the triangle shape on the fabric, dotted line on the fold, report the shape on the fabric and cut leaving a 1/2 inch seam allowance. Repeat three more time on different color fabrics, to end up with a total of four triangles. You will use the triangles to make the front of the cushion cover. Take the two rectangles shape and place them on the fabric you will use them to make the cushion back, dotted line on the fold. Report the shape and cut leaving a seam allowance of 1/2 inch. Serger or zigzag the edges of each piece




3. Start sewing the front.

- Place the triangle next to each other to create a square shape. I suggest you to alternate dark and light colors of a nice contrasting cushion.
- Place two triangles on top of each other, right side facing each other, pin and sew along one of the short triangle side. Repeat for the second pair of triangles. Iron the seams of your two pair of triangles.
- Place the two pair of triangle on top of each other, right side facing each other, pin and sew the diagonal. Iron the diagonal seam.
- To make the fold easier, fold each diagonal right side out and iron following the seams.



4. Making the fold.

- Put the sewed piece flat, seams facing up. Place the circle on the center, and align the lines with the seams. Draw 4 dots on the fabric, one at the tip of each arrow.
- Cut a piece of thread and pass it in a needle, pass the thread into the fabric at the four points draws. Take both ends of the thread and pull to join them and make a knot. The fabric. The folded fabric must come out the opposite side.
- Flip the cushion front and arrange the folds, you must have a small square in the center. Iron the folds and check on the back that each fold is about 2 ½ inches width, so you are sure to have a square front piece to finish your pillow cover.



- Take the back of your piece and pin the folds, only pin two layers of fabric together (don't pin the third front layer with it). Make a seam at $\frac{1}{2}$ inch, start from the center (the closer as you can) to the fabric edge. This will help the fold to stay in place when putting the insert in the cover. You just need to sew the fold, don't sew the three fabric layers otherwise the seam will be seen on the cushion front.



- Flip the piece again, pin the folded square and fix it by making a “X” seam over the existing one. This time you can sew through all layers. I suggest to change the thread to match the fabric color.



5. Sewing the back

- Take the two rectangles and the zipper. Pin and sew the zipper on one side of the rectangle.
- Take the bigger rectangle make a fold of 1 inch on one edge of the fabric, and iron it. Close the zipper, align the second rectangle, pin and sew the folded edge with the zipper.
- Make a few extra stitches to close the zipper end and cut the extra length.



6. Assembling the pillow cover

- Place the front on the back, right side facing each other. Pin the edges together and sew. Before sewing, leave the zipper a bit open to easily open it to turn the cover right side out.
- Cut the fabric tip that exceed the square shape, and trim the corner if necessary.
- Open the zipper and turn the right side out, a last ironing on the seams and fold and you can put you insert in the cover.



Enjoy your new pillow!
Amaryllis

